

# PIPE CUTTERS

Main body made of tempered steel, ensuring high durability and long life.

## CM Series CUTTER

15A-50A (½"-2")

- CM40 and CM50 models make even the narrowest of spaces accessible. These 4-wheel pipe cutters help you remove or repair pipes with ease.



CM50  
130500

**CM cutter with Bearings!  
Light and Easy!**



CM50RB  
131500

### Applicable Pipes: Steel Pipe

Code No.	Model	Cutting Capacity A (in.)
130400	CM 40	15 - 40 (½-1½)
130500	CM 50	15 - 50 (½-2)
131500	CM 50RB	15 - 50 (½-2)
13P700	CM 40 Cutter Wheel	-
13P710	CM 50 Cutter Wheel	-
13P730	CM 50RB Cutter Wheel	-



13P730  
For CM 50RB

## C Series CUTTER

6A-100A (⅛"-4")

- C2 and C3 can be made to accept three cutter wheels by replacing roller and cutter wheel.



For C1 / C2  
13P105



C2  
1301P2



C2 3-Wheel Cutter  
1301PA



C4  
1301P4


### Applicable Pipes: Steel Pipe

Code No.	Model	Cutting Capacity A (in.)
1301P1	C1 Cutter	6 - 32 (⅛-1¼)
1301P2	C2 Cutter	6 - 50 (⅛ - 2)
1301PA	C2 3 Wheel Cutter	6 - 50 (⅛ - 2)
1301P3	C3 Cutter	25 - 80 (1 - 3)
1301PB	C3 3 Wheel Cutter	25 - 80 (1 - 3)
1301P4	C4 3 Wheel Cutter	65 - 100 (2½-4)
13P105	C1/C2 Cutter Wheel	-
13P305	C3 Cutter Wheel	-
13P405	C4 Cutter Wheel	-

## LINK CUTTER

80A-250A ( 3"-10" )

- An additional 70 mm over pipe circumference in three directions is sufficient to cut laid pipes.
- Easy to change size - just change the number of links.
- Clamp with ratchet wrench and move handle back and forth 60° to 100° to cut.

No. 10  
1302P2For No. 2  
13P605

### Applicable Pipes: No. 2: Cast Iron Pipe No. 10: Steel / Ductile Pipe

Code No.	Model	Cutting Capacity A (in.)
1301P8	No. 2 Link Cutter (Cast Iron Pipe)	75 - 200 (3 - 8)
1302P2	No. 10 Link Cutter (Steel/Ductile Pipes)	80 - 250 (3-10)*
13P605	No. 2 Link Cutter Wheel	-
13P670	No. 10 Link Cutter Wheel	-

\* Optional links up to 12" available (depends on pipe thickness)

For No. 10  
13P670

## PE RB CUTTER

75A-150A ( 3"-6" )

PE RB100-II  
311672PE RB150  
311671PE RB Cutter Wheel 100-II/150  
311675

### Applicable Pipes: Polyethylene Pipe

Code No.	Model	Cutting Capacity (mm)
311672	PE RB Cutter 100-II	60 - 125
311671	PE RB Cutter 150	120 - 180
311675	PE RB Cutter Wheel 100-II/150	-

# RB TUBE CUTTERS

## So light! So easy to use! – REX advanced roller system

Light, precise cutting of thin wall stainless steel (INOX) tube attracts the piping world's attention.

## RB TUBE CUTTER

Φ4-Φ67

### Ball bearings make the difference! Great cuts with the greatest of ease!

High-quality radial ball bearings enable REX RB tube cutters to cut with less effort than any previous models. Give them a try and see just how easy it is! Replace the wheel with an SUS tube cutter wheel and they can even cut thin wall stainless steel tube.

\* SUS tube replacement cutter wheel for Models 30, 42 and 67 sold separately.



Rollers with radial ball bearings (Model N42S)



RB22  
425122



N28S  
427228



N30S  
427630



N42S  
427642



N67S  
427667



Code No.	Model	Capacity (outside diameter) (mm)	Half Diameter of rolling (mm)	Length (mm)	Weight (g)	Number of Bearings	Applicable pipe			English Package
							Copper tube	Coated copper tube	Thin wall stainless steel tube	
425122	RB22	5-22	43	57	130	5	●			
427128	N28	4-28	60	93	175	8	●			
427228	N28S								●	
427830	N30P	5-34	132	150	360	8	●	●		●
427630	N30S								●	●
427842	N42P	6-42	150	180	400	8	●	●		●
427642	N42S								●	●
427342	N42M*								●	
427867	N67P						●	●		●
427667	N67S	12-67	222-250 223-251	330	870	14			●	●
427467	N67PE									●
427367	N67M*	12-67	253-257			12			●	

\*grooving tool

## SPARE CUTTER WHEELS and ROLLER (with ball bearings)



N42P



N30P



N28



N28S



N67S

	Use	Code No.	For use with	Quantity per Package	English Package
Cutter Wheels	Copper tube only	424241	RB22	1	
		424231	RB28, N28	1	
		424232	RB30, RB42	1	
		424234	RB67	1	
	Copper tube and Coated copper tube	424242	RB30mini	1	
		424292	RB30P, RB42P N30P, N42P, N67P	1	●
	PE tube	424236	RB67PE	1	
		424245	N67PE	1	
Roller	Thin wall stainless steel tube	424240	RB28S, RB30miniS, N28S	1	
		424284	RB30S, RB42S N30S, N42S, N67S	1	●
		424286	RB67S	1	●
	Thin wall stainless steel tube (grooving)	424238	RB42M, N42M, N67M	1	
		424239	RB67M	1	

# Perfect for replacing pipes and demolition work!

Lightweight, Great Strength and Durability

## HYPER SAW XS150S

up to 200A ( 8" )



### Standard Accessories:

Chain vice, Saw blades No. 22, No. 23 : one each,  
Hex key 4 mm, Case









Code No.	380150	380160
Model	Hyper Saw XS150S	
Cutting capacity	Steel pipe : up to O. D. of 216 mm (200A : 8")*1 Stainless steel pipe : up to O. D. of 140 mm (125A : 5"), wall thickness : less than 3 mm *2	
Voltage (V)	100	220
Motor	Single phase series motor (50/60 Hz) Input 1200 W	
No. of Strokes (1/min)	950 - 2050 (stroke 26 mm)	
Main unit weight (kg)	4.0	

\*1 Saw blade No.24/381004 option required for cutting 200A pipe.

\*2 Thin saw blade saw-holder & thin saw blade (option) required for cutting stainless steel pipe.

## Hyper Saw Blades

**Cobra Blade: Curved shape provides greater speed.**

Thin blade		Thick blade	
Cobra Blade	Bi-metal Blade	Cobra Blade	HSS Saw Blade
 380041	 380033	 380062	 381002
 380042	 380034	 380063	 381003

## Hyper Saw Blades

	Code No.	Type (Product name)		Appropriate Pipe Size. A (inch)	Length (mm)	Teeth (per inch)	Thick- ness (mm)	Width (mm)	Material	Use	No. per pack
Thin blade	380041	Cobra Blade	No.41	up to 50 (2")	150	14	0.9	18	Blade : Matrix II Trunk : Alloy tool steel	Steel pipe Stainless steel pipe Mild steel materials	5
	380042		No.42	up to 100 (4")	200						
	380043		No.43	up to 50 (2")	150	18					
	380044		No.44	up to 100 (4")	200						
	380045		No.45	up to 125 (5")	250						
	380033	Bi-metal Blade	No.33	up to 50 (2")	150	14					
	380034		No.34	up to 100 (4")	225						
	380035		No.35	up to 50 (2")	150	18					
380036	No.36		up to 100 (4")	225							
Thick blade	380061	Cobra Blade	No.61	up to 80 (3")	200	8	1.6	25	Blade : Matrix II Trunk : Alloy tool steel	Steel /Cast iron pipe Stainless steel pipe Mild steel materials	5
	380062		No.62	up to 125 (5")	250						
	380063		No.63	up to 150 (6")	300						
	381001	HSS Saw Blade	No.21	up to 50 (2")	140				HSS	Steel /Cast iron pipe Mild steel materials	
	381002*		No.22	up to 100 (4")	200						
	381003*		No.23	up to 150 (6")	290						
	381004		No.24	up to 200 (8")	320						
	381009	Thin saw blade holder	For Saw blades: No.41, No.42, No.43, No.44, No.45, No.33, No.34, No.35, No.36								1
	381007	Thick saw blade holder	For Saw blades: No.61, No.62, No. 63, No.21, No.22, No.23, No.24								

\* Standard accessory for XS150S