


**REX**

銅管工具

コードレスフレアRF20SⅡ

## 部品価格表

発効 2022年 5月



RF20SⅡ

【424911】

RF20SⅡ-Z


(本体のみ)

【424912】

### 目次


- 1, 本体・駆動部
- 2, フレア装置部
- 3, クランプ部
- 4, 充電器・キャリングケース部

## 1, 本体駆動部




| 図番 | 部品番号   | 品名                            | 数量 | 標準単価  | 摘要       |
|----|--------|-------------------------------|----|-------|----------|
| 1  | 424961 | リチウムイオン電池 2.0AH               | 1式 | —     | 製品扱い     |
| 2  | 424959 | RF20SⅡ 本体A・Bセット               | 1式 | 2,160 |          |
| 3  |        | DG30 本体A<br>DG31 本体B          |    |       |          |
| 4  | DG45S  | RF20SⅡモータ・                    | 1式 | 2,810 |          |
| 5  |        | DG45 ファーストピニオン<br>DG15 モータ    |    |       |          |
| 6  | DG46S  | RF20SⅡファーストギヤ・                | 1式 | 3,320 |          |
| 7  |        | DG46 ファーストギヤ<br>DG47 セカンドピニオン |    |       |          |
| 8  | DG48S  | RF20SⅡセカンドギヤ・                 | 1式 | 3,690 |          |
| 9  |        | DG48 セカンドギヤ<br>DG38 スプライン受    |    |       |          |
| 10 | DG27   | RF20SⅡスイッチセット                 | 1式 | 6,490 |          |
| 11 | DG52   | スイッチトリガー                      | 1  | 2,920 |          |
| 12 | DG49   | メタルA                          | 1  | 330   |          |
| 13 | DG50   | メタルB                          | 2  | 660   |          |
| 14 | DF40   | ストラップ                         | 1  | 590   |          |
| 15 | DF44   | ボールベアリング (Z605)               | 1  | 1,070 |          |
| 16 | WWA0   | 穴用C形止め輪13                     | 1  | 170   |          |
| 17 | DF46   | フランジタッピンねじ (4×15)             | 12 | 200   |          |
| 18 | 9V39   | 機番シール                         | 1  | —     |          |
| 19 | 9V40   | 品名シール                         | 1  | —     |          |
| 20 | 9V35   | リチウム電池シール                     | 1  | 170   |          |
| 21 | DG44   | ねじりばね                         | 1  | 170   |          |
| 22 | WC22   | 四角ナット (M4 7×7×3.2t)           | 1  | 170   |          |
| 23 | #####  | フック                           | 1  | —     | 製品扱い     |
| 24 | W544   | 十字穴付きトラス小ねじ (M4×10)           | 1  | 170   |          |
| 25 | DG28   | 駆動部                           | 1式 |       | ※別途工賃が必要 |

2, フレア装置部



| 図番 | 部品番号   | 品 名                          | 数量 | 標準単価   | 摘 要 |
|----|--------|------------------------------|----|--------|-----|
| 1  | 424961 | DG32 フレアホルダ                  | 1式 | 20,100 |     |
| 21 |        | DF22 シェル形ニードルベアリング (HK2512C) |    |        |     |
| 2  | DG33   | クラッチフランジ                     | 1  | 5,720  |     |
| 3  | DG34S  | DG34 メインシャフト                 | 1式 | 7,150  |     |
| 11 |        | DA04 コーン保持ばね                 |    |        |     |
| 12 |        | DA05 ばねホルダ                   |    |        |     |
| 13 |        | DF23 シェル型ニードルベアリング (SCE59A)  |    |        |     |
| 4  | DG35   | 加圧ばね セット                     | 6  | 170    |     |
| 5  | DG36S  | DG36 加圧ばね受け                  | 1式 | 2,820  |     |
| 7  |        | DG39 シェル形ニードルベアリング (HMK1510) |    |        |     |
| 6  | DG37   | 加圧ばねサポート                     | 1  | 250    |     |
| 8  | DG40   | スラストニードルベアリング (AXK1106)      | 1  | 970    |     |
| 9  | DG41   | スラストワッシャ (AS1106)            | 2  | 220    |     |
| 10 | DG42   | スプライン                        | 1  | 720    |     |
| 14 | DA32   | スラストベアリング                    | 1  | 720    |     |
| 15 | DF14   | フレアコーン                       | 1  | 4,070  |     |
| 16 | DF08   | クラッチピン                       | 2  | 750    |     |
| 17 | DF13   | クラッチピンばね                     | 2  | 170    |     |
| 18 | W546   | 十字穴付きトラス小ねじ (M4×8)           | 4  | 170    |     |
| 19 | DF15   | クランプノッチ                      | 1  | 370    |     |
| 20 | DF16   | クランプノッチばね                    | 1  | 650    |     |
| 22 | W043   | 六角穴付きボルト (M4×12)             | 4  | 170    |     |
| 23 | DF24   | スラストニードルベアリング (AXK1100)      | 1  | 960    |     |
| 24 | DF25   | スラストワッシャ (AS1100)            | 2  | 270    |     |
| 25 | WI09   | 平座金 (5×10×0.8)               | 2  | 170    |     |
| 26 | WG05   | ばね座金 (M5)                    | 1  | 170    |     |
| 27 | WC05   | 六角ナット (M5)                   | 1  | 170    |     |
| 28 | DG43   | 後退端ばね                        | 1  | 170    |     |

3, クランプ部



| 図番 | 部品番号   | 品 名                    | 数量 | 標準単価  | 摘 要  |
|----|--------|------------------------|----|-------|------|
| 1  | 424961 | クランプA                  | 1  | 2,550 |      |
| 2  | 424959 | クランプB                  | 1  | 2,040 |      |
| 3  | DF53   | 当り板                    | 1  | 200   |      |
| 4  | DF54   | クランプボルト                | 1  | 590   |      |
| 5  | DF55   | クランプボルト受               | 1  | 770   |      |
| 6  | DF56   | ヒンジブロック                | 1  | 1,160 |      |
| 7  | DF57   | クランプピン                 | 1  | 170   |      |
| 8  | DF58   | クランプリンク                | 2  | 170   |      |
| 9  | DF59   | クランプノブ                 | 1  | 1,090 |      |
| 10 | DF60   | トグルセット                 | 1式 | 3,570 |      |
| 11 | 424850 | 新冷媒2種ライナ 1/4 ( 6.35mm) | 2  | -     | 製品扱い |
|    | 424852 | 新冷媒2種ライナ 3/8           | 2  | -     | 製品扱い |
|    | 424853 | 新冷媒2種ライナ 1/2 (12.7 mm) | 2  | -     | 製品扱い |
|    | 424854 | 新冷媒2種ライナ 5/8 (15.88mm) | 2  | -     | 製品扱い |
|    | 424855 | 新冷媒2種ライナ 3/4 (19.05mm) | 2  | -     | 製品扱い |
| 12 | WY04W  | E形止め輪 (4)              | 3  | 170   |      |
| 13 | WL34   | スプリングピン (3×12)         | 1  | 170   |      |
| 14 | WL5C   | スプリングピン (5×15)         | 1  | 170   |      |
| 15 | WL54   | スプリングピン (5×20)         | 1  | 170   |      |
| 16 | W04E   | 六角穴付ボタンボルト (4×8)       | 2  | 170   |      |

This diagram shows the components of the device and its carrying case. On the left, the device is shown with its carrying case. The device has a handle on top and a carrying handle on the side. The carrying case is a hard-shell case with a handle and a latch. The components are labeled with numbers 1 through 6:

- 1: The device itself.
- 2: The carrying case.
- 3: A coiled cable with a connector on one end.
- 4: A small rectangular label or sticker.
- 5: A small rectangular label or sticker.
- 6: A larger rectangular label or sticker.

[illegible]