

パイプマシン
ダイヘッド**部 品 価 格 表**

発効 2008年 11月

△

**目次**


1, 自動切上 NS25AD 1/4~3/8	290110
2, 自動切上 NS25AD 1/2~3/4	290120
3, 自動切上 NS25AD 1/2~1	290125
4, 自動切上 AD 1/2~3/4	29A850
5, 自動切上 AD 1 ~11/2	29A870
6, 自動切上 AD 1 ~ 2	29A020
7, 自動切上 AD21/2 ~ 3	29A030
8, 固定倣い自動切上 APD21/2~3	29A901
9, 倣い式自動切上 N100PD21/2~4	29A940
10, 倣い式自動切上 150PD21/2~4	29A950
11, 倣い式自動切上 150PD 5 ~ 6	29A960
12, 手動切上 MD 1/4~3/8 ・W5/16~7/8	290000
13, 手動切上 MD 1/2~11/2	290820
14, 手動切上 MD 1 ~ 2	290020
15, 手動切上 MD 21/2~ 3	290030

ダイヘッド

1. 自動切上 NS25AD 1/4～3/8

更新日 2025/6/17

品番 290110



* 下線付き番号は、図中に同じ番号が複数掲載されている部品を示します。

ダイヘッド

更新日 2025/6/17

1. 自動切上 NS25AD 1/4～3/8

品番 290110


図番	部品番号	品 名	数量	標準単価	摘 要
1	MY75	調整板	2	290	
2	MY60	位置決めノッチ (1/4-3/8用)	1	2,290	
3	MY59	切上ブロック (1/4-3/8用)	1	8,900	
4	MY77	切上バネ	1	170	
5	W062	六角穴付きボルト (M6×16)	4	170	
6	G860	チェーザノッチ	4	470	
7	MY61	偏芯ピン (1/4-3/8用)	2	3,450	
8	WN34	真鍮鋸 (#4×5)	2	170	
9	W661	六角穴付止めねじ (とがり先M6×6)	3	170	
10	WL53	スプリングピン (5×16)	1	170	
11	MY82	ノッチ軸	1	630	
12	7790	ノッチピン	1	170	
13	7752	ノッチばね	1	170	
14	WL63	スプリングピン (6×18)	1	170	
15	MY85	切上ばね受け	1	320	
16	MY83	切上レバーピン	1	470	
17	7698	クッションばね	1	240	
18	W785	六角穴付止めねじ (くぼみ先M8×18)	1	170	
19	MY72	切上ピン	1	2,290	
20	MY84	切上ピン軸	1	270	
21	MY78	ダイヘッド取付軸	1	1,530	
22	WG06	ばね座金 (6)	1	170	
23	MY67	ダイヘッド丸蓋	1	11,440	
24	MY63	目盛. 微調整プレート (1/4-3/8用)	1	470	
25	MY58	ダイヘッド案内 (1/4-3/8用)	1	16,530	
26	W34A	六角穴付皿ボルト (M4×10メック)	4	170	
27	MY71	ダイヘッドリング	1	1,920	
28	MY65	ダイヘッド本体	1	31,770	
29	16P000	チェーザ 8A-10A (1/4-3/8)	1組	-	製品扱い
30	W060	六角穴付きボルト (M6×10)	1	170	
31	MY62	切上レバーB (1/4-3/8)	1	1,530	
32	MY68	切上レバーA	1	3,450	
33	MY76	切上レバーばね	1	200	

ダイヘッド

2. 自動切上 NS25AD 1/2～3/4

更新日 2025/6/17

品番 290120



* 下線付き番号は、図中に同じ番号が複数掲載されている部品を示します。

ダイヘッド

更新日 2025/6/17

2. 自動切上 NS25AD 1/2～3/4

品番 290120


図番	部品番号	品 名	数量	標準単価	摘 要
1	MY75	調整板	2	290	
2	MY70	位置決めノッチA 黒	1	2,290	
3	MY59	切上ブロック	1	8,900	
4	MY77	切上ばね	1	170	
5	W062	六角穴付きボルト (M6×16)	4	170	
6	G860	チェーザノッチ	4	470	
7	MY73	偏芯ピンA 黒	2	3,450	
8	WN34	真鍮鋏 (#4×5)	2	170	
9	W661	六角穴付止めねじ (とがり先M6×6)	3	170	
10	WL53	スプリングピン (5×16)	1	170	
11	MY82	ノッチ軸	1	630	
12	7790	ノッチピン	1	170	
13	7752	ノッチばね	1	170	
14	WL63	スプリングピン (6×18)	1	170	
15	MY85	切上ばね受け	1	320	
16	MY83	切上レバーピン	1	470	
17	7698	クッションばね	1	240	
18	W785	六角穴付止めねじ (くぼみ先M8×18)	1	170	
19	MY72	切上ピン	1	2,290	
20	MY84	切上ピン軸	1	270	
21	MY78	ダイヘッド取付軸	1	1,530	
22	WG06	ばね座金 (6)	1	170	
23	MY67	ダイヘッド丸蓋	1	11,440	
24	MY64	目盛. 微調整プレート (1/2-3/4用)	1	470	
25	MY66	ダイヘッド案内	1	16,530	
26	W34A	六角穴付皿ボルト (M4×10メック)	4	170	
27	MY71	ダイヘッドリング	1	1,920	
28	MY65	ダイヘッド本体	1	31,770	
29	16P407	チェーザ 15A-20A (1/2-3/4)	1組	-	製品扱い
30	W060	六角穴付きボルト (M6×10)	1	170	
31	MY74	切上レバーB	1	1,530	
32	MY68	切上レバーA	1	3,450	
33	MY76	切上レバーばね	1	200	

ダイヘッド

3. 自動切上 NS25AD 1/2~1

更新日 2025/6/17

品番 290125



ダイヘッド

更新日 2025/6/17

3. 自動切上 NS25AD 1/2～1

品番 290125

図番	部品番号	品 名	数量	標準単価	摘 要
1	MY65	ダイヘッド本体	1	31,770	
2	MY66	ダイヘッド案内	1	16,530	
3	MY67	ダイヘッド丸蓋	1	11,440	
4	MY71	ダイヘッドリング	1	1,920	
5	W062	六角穴付きボルト (M6×16)	4	170	
6	G860	チェーザノッチ	4	470	
7	MY73	偏芯ピンA 黒	2	3,450	
8	MY80	偏芯ピンB 銀	1	3,450	
9	MY81	目盛. 微調整プレート	1	470	
10	WN34	真鍮鉋 (#4×5)	2	170	
11	W661	六角穴付止めねじ (とがり先M6×6)	4	170	
12	W34A	六角穴付皿ボルト (M4×10メック)	4	170	
13	MY82	ノッチ軸	1	630	
14	7698	クッションばね	1	240	
15	MY69	切上ブロック	1	12,460	
16	MY70	位置決めノッチA 黒	1	2,290	
17	MY79	位置決めノッチB 銀	1	2,290	
18	MY75	調整板	3	290	
19	7790	ノッチピン	2	170	
20	7752	ノッチばね	2	170	
21	WL53	スプリングピン (5×16)	1	170	
22	MY77	切上ばね	1	170	
23	16P407	チェーザ 15A-20A (1/2-3/4)	1組	-	製品扱い
	160025	チェーザ 25A (1)	1組	-	製品扱い
24	W785	六角穴付止めねじ (<ぼみ先M8×18)	1	170	
25	MY83	切上レバーピン	1	470	
26	MY72	切上ピン	1	2,290	
27	MY84	切上ピン軸	1	270	
28	MY78	ダイヘッド取付軸	1	1,530	
29	MY76	切上レバーばね	1	200	
30	MY68	切上レバーA	1	3,450	
31	MY74	切上レバーB	1	1,530	
32	W060	六角穴付きボルト (M6×10)	1	170	
33	WG06	ばね座金 (6)	1	170	
34	MY85	切上ばね受け	1	320	
35	WL63	スプリングピン (6×18)	1	170	


ダイヘッド

4. 自動切上 AD 1/2~3/4

更新日 2025/6/17

品番 29A850

⑦⑥⑤2セット使用



ダイヘッド

更新日 2025/6/17

4. 自動切上 AD 1/2～3/4


品番 29A850

図番	部品番号	品 名	数量	標準単価	摘 要
1	G900	ダイヘッド本体	1組	34,310	図番 4・35セット
2	G808	ダイヘッド案内	1	15,250	
3	G805	ダイヘッド丸蓋	1	7,630	
4	G880	ダイヘッドリング	1	4,580	旧:供給終了
5	7692	位置決め偏心ピン	2	1,160	
6	7693	位置決め偏心ピンカラー	2	590	
7	W060	六角穴付きボルト (M6×10)	3	170	
8	7741	切上ブロック	1	10,690	
9	7752	ノッチばね	1	170	
10	7790	ノッチピン	1	170	
11	7690	位置決めノッチ	1	2,290	
12	7743	調整板	2	170	
13					
14	7742	ノッチ軸	1	630	
15	7735	切上ばね芯	1	170	
16	7697	切上ブロックばね	1	170	
17	7698	クッションばね	1	240	
18	WL63	スプリングピン (6×18)	1	170	
19	W785	六角穴付止めねじ先 (M8×18)	2	170	
20	WL53	スプリングピン (5×16)	1	170	
21	WN34	真鍮鉋 (#4×5)	4	170	
22	G901	切上レバーセット	1式	4,580	
23	G866	切上レバー当り	1	1,530	
24	WI62	平座金 (6)	1	170	
25	7696	切上レバーばね	1	170	
26	N714	切上レバー(A)ピン	1	400	
27	7753	カム板	1	1,390	
28	7739	カム板ばね	1	170	
29	G867	カム板ピン(大)	1	400	
30	WL42	スプリングピン (4×12)	1	170	
31	G868	カム板カラー	1	630	
32	W34A	六角穴付皿ボルト (M4×10メック)	8	170	
33	W062	六角穴付きボルト (M6×16)	4	170	
34	G860	チェーザノッチ	4	470	
35	7713	ダイヘッド取付軸	1	2,550	
36	W662	六角穴付止めねじ (とがり先M6×8)	1	170	
37	G834	微調整プレート	1	470	
38	7747	目盛プレート	1	470	
	旧:ダイヘッドリング(厚い)六角穴付ボルト 新:ダイヘッドリング(薄い)六角穴付皿ボルト ご注文時ご注意ください。				

ダイヘッド
5. 自動切上 AD 1 ~ 11/2

更新日 2025/6/17
品番 29A870

⑦⑥⑤3セット使用



5. 自動切上 AD 1 ~ 11/2

品番 29A870

旧:ダイヘッドリング(厚い)六角穴付ボルト
新:ダイヘッドリング(薄い)六角穴付皿ボルト
ご注文時ご注意ください。


ダイヘッド

6. 自動切上 AD 1 ~ 2

更新日 2025/6/17

品番 29A020

⑦⑥⑤④セット使用



6. 自動切上 AD 1 ~ 2

2025/6/17

29A020

[illegible]

ダイヘッド
7. 自動切上 AD21/2 ~ 3

品番 29A030

This exploded view diagram illustrates the assembly of a mechanical component, likely a door latch or hinge mechanism. The parts are numbered 1 through 38. The diagram shows the following components and their assembly sequence:

- Part 1:** The main body of the latch mechanism.
- Part 2:** A curved lever or handle arm.
- Part 3:** A circular plate or cover.
- Part 4:** A circular plate or cover.
- Part 5:** A small pin or screw.
- Part 6:** A small pin or screw.
- Part 7:** A small pin or screw.
- Part 8:** A small pin or screw.
- Part 9:** A small pin or screw.
- Part 10:** A small pin or screw.
- Part 11:** A small pin or screw.
- Part 12:** A small pin or screw.
- Part 13:** A small pin or screw.
- Part 14:** A small pin or screw.
- Part 15:** A small pin or screw.
- Part 16:** A small pin or screw.
- Part 17:** A small pin or screw.
- Part 18:** A small pin or screw.
- Part 19:** A small pin or screw.
- Part 20:** A small pin or screw.
- Part 21:** A small pin or screw.
- Part 22:** A small pin or screw.
- Part 23:** A small pin or screw.
- Part 24:** A small pin or screw.
- Part 25:** A small pin or screw.
- Part 26:** A small pin or screw.
- Part 27:** A small pin or screw.
- Part 28:** A small pin or screw.
- Part 29:** A small pin or screw.
- Part 30:** A small pin or screw.
- Part 31:** A small pin or screw.
- Part 32:** A small pin or screw.
- Part 33:** A small pin or screw.
- Part 34:** A small pin or screw.
- Part 35:** A small pin or screw.
- Part 36:** A small pin or screw.
- Part 37:** A small pin or screw.
- Part 38:** A small pin or screw.

7. 自動切上 AD21/2 ~ 3

2025/6/17

29A030


[illegible]

ダイヘッド

8. 固定倣い自動切上 APD21/2~3

更新日 2025/6/17

品番 29A901



ダイヘッド

更新日

2025/6/17

8. 固定倣い自動切上 APD21/2～3

品番

29A901


図番	部品番号	品 名	数量	標準単価	摘 要
1	ND40	21/2-3 ダイヘッド本体	1	40,660	
2	ND41	21/2-3 ダイヘッド案内	1	20,330	
3	ND42	21/2-3 ダイヘッド丸蓋	1	7,630	
4	ND43	21/2-3 セットホルダ	1	14,620	
5	ND44	21/2-3 切上ブロック	1	11,440	
6	ND45	21/2-3 切上レバー当り	1	1,530	
7	ND46	21/2-3 倣い板	1	6,360	
8	ND47	表示プレート	1	240	
9	ND48	切上ブロックばね	1	360	
10					
11	ND01	クッションばね	1	240	
12	ND02	切上レバーピン	1	320	
13	ND03	倣いレバー	1	4,070	
14	ND04	リングA	1	770	
15	ND05	ピンA	2	590	
16	ND06	リングB	1	960	
17	ND07	カラー	1	630	
18	ND08	倣いレバー軸	1	630	
19	ND09	切上レバー	1	8,650	
20	ND10	切上レバーばね	1	170	
21	7690	位置決めノッチ	1	2,290	
22	ND15	切上ブロック止めピン	2	240	
23	ND32	ノッチ軸A	1	590	
24	ND33	ノッチ軸カラー	1	590	
25					
26	7713	ダイヘッド取付軸	1	2,550	
27	ND49	位置決め偏心ピン	2	1,160	
28	7693	位置決めピンカラー	2	590	
29	7744	目盛プレート	1	470	
30	7752	ノッチばね	2	170	
31	7790	ノッチピン	2	170	
32	G860	チェーザノッチ	4	470	
33	L1930	微調整プレート	1	470	
34					
35	WN34	真鍮鋌 (#4×5)	6	170	
36	WL51	スプリングピン (5×12)	1	170	
37	WN1A	平行ピン (B種φ8×25)	1	170	
38	W060	六角穴付きボルト (M6×10)	3	170	
39	W061	六角穴付きボルト (M6×12)	2	170	
40	W063	六角穴付きボルト (M6×20)	4	170	
41	W080	六角穴付きボルト (M8×15)	2	170	
42	W05H	六角穴付きボルト (M5×8)	2	170	
43	WG06	ばね座金 (呼び 6)	1	170	
44	W662	角穴付き止めねじ (トガリ先M6×8)	1	170	
45	WL24	スプリングピン (2×8)	1	170	
46	WL4D	スプリングピン (4×14)	1	170	
47	WL34	スプリングピン (3×12)	2	170	
48	W063	スプリングピン (6×18)	1	170	
49					
50	3355	3B 丸蓋止め栓	2	170	

N100A ダイヘッド部

9. 倣い式自動切上 N100PD21/2~4

更新日 2025/6/17

品番 29A940



図番	部品番号	品 名	数量	標準単価	摘 要
1	J065	ダイヘッド本体	1	40,660	
2	J066	受板	1	38,120	
3	J068	丸蓋	1	16,780	
4	J067	案内	1	22,870	
5	7692	位置決め偏心ピン	4	1,160	
6	7693	位置決め偏心ピンカラー	4	590	
7	W060	六角穴付きボルト (M6×10)	4	170	
8	J073	ノッチホルダ	1	9,160	
9	7752	ノッチばね	1	170	
10	7790	ノッチピン	1	170	
11	7690	位置決めノッチ	1	2,290	
12	7743	調整板	2	170	
13	7742	ノッチ軸	1	630	
14	W082	六角穴付きボルト (M8×20)	2	170	
15	J077	位置決めピン	1	240	
16	W067	六角穴付きボルト (M6×40)	4	170	
17	G860	チェーザノッチ	4	470	
18	T008	ローラ	1	630	
19	3412	ローラ止めピン	1	240	
20	J076	ダイヘッド取付軸	1	3,820	
21	W661	六角穴付き止めねじ (とがり先M6×6)	1	170	
22	J078	微調整プレート	1	470	
23	J079	目盛プレート	1	470	
24	WN34	真鍮板 4X5	4	170	

150A ダイヘッド部


10. 倣い式自動切上 150PD21/2~4

更新日

2025/6/17

品番

29A950



図番	部品番号	品 名	数量	標準単価	摘 要
1	E611	ダイヘッド本体	1	82,280	
2	E612	受板	1	38,120	
3	J068	丸蓋	1	16,780	
4	J067	案内	1	22,870	
5	7692	位置決め偏心ピン	4	1,160	
6	7693	位置決め偏心ピンカラー	4	590	
7	W060	六角穴付きボルト (M6×10)	4	170	
8	J073	ノッチホルダ	1	9,160	
9	7752	ノッチばね	1	170	
10	7790	ノッチピン	1	170	
11	7690	位置決めノッチ	1	2,290	
12	7743	調整板	2	170	
13	7742	ノッチ軸	1	630	
14	W082	六角穴付きボルト (M8×20)	2	170	
15	J077	位置決めピン	1	240	
16	W067	六角穴付きボルト (M6×40)	4	170	
17	G860	チェーザノッチ	4	470	
18	T008	ローラ	1	630	
19	3412	ローラ止めピン	1	240	
20	A160	ダイヘッド取付軸	1	3,820	
21	W661	六角穴付き止めねじ (とがり先M6×6)	1	170	
22	E614	微調整プレート	1	630	
23	E613	目盛プレート	1	470	
24	WN34	真鍮板 4X5	4	170	

150A ダイヘッド部


11. 倣い式自動切上 150PD 5 ～ 6

更新日

2025/6/17

品番

29A960



図番	部品番号	品 名	数量	標準単価	摘 要
1	E601	ダイヘッド本体	1	68,970	
2	E602	受板	1	38,120	
3	E604	丸蓋	1	27,960	
4	E603	案内	1	30,500	
5	7692	位置決め偏心ピン	2	1,160	
6	7693	位置決め偏心ピンカラー	2	590	
7	W060	六角穴付きボルト (M6×10)	2	170	
8	J073	ノッチホルダ	1	9,160	
9	7752	ノッチばね	1	170	
10	7790	ノッチピン	1	170	
11	7690	位置決めノッチ	1	2,290	
12	7743	調整板	2	170	
13	7742	ノッチ軸	1	630	
14	W082	六角穴付きボルト (M8×20)	2	170	
15	J077	位置決めピン	1	240	
16	W067	六角穴付きボルト (M6×40)	5	170	
17	G860	チェーザノッチ	5	470	
18	T008	ローラ	1	630	
19	3412	ローラ止めピン	1	240	
20	A160	ダイヘッド取付軸	1	3,820	
21	W661	六角穴付き止めねじ (とがり先M6×6)	1	170	
22	E607	微調整プレート	1	470	
23	E606	目盛プレート	1	470	
24	WN34	真鍮板 4X5	4	170	


12. 手動切上 MD 1/4~3/8 ・W5/16~7/8

品番 290000




13. 手動切上 MD 1/2~11/2

品番 290820

[illegible]

14. 手動切上 MD 1 ~ 2


品番 290020

[illegible]

15. 手動切上 MD 21/2~ 3

更新日 2025/6/17

品番 290030

[illegible]